





Technical Specifications

EXCHICAL DATA EXSENCE ESSENCE Engine Capacity (cc) 1986 1986 Induction Turbo Charged Turbo Charged Fuel Tank Capacity (L) 65 65 Maximum Engine Power (kW) 153 153 Maximum Engine Torque (Nm) 360 360 Drive Type FWD AWD Steering System FWD AWD Steering System 9 Speed 9 Speed Seating Capacity 7 7 Fuel Grade 95 Ron 95 Ron SUSPENSION & BRAKES 95 Ron 95 Ron Front Suspension Multu Link Multu Link Rear Suspension Multu Link Multu Link Rear Suspension Multu Link Multu Link Rear Enakes Discs Discs WHEELS & TYPE 20' 25 20' Alloy Wheels 9 5 21' Alloy Wheels 9 5 21' Alloy Wheels 9 5 21' Alloy Wheels 9			
Engine Capacity (cr) I 986 1986 Induction Turbo Charged Turbo Charged Turbo Charged Turbo Charged Turbo Charged Turbo Charged 56 65 66 66 66 66 66 60		2WD EXCITE	AWD ESSENCE
Induction Turbo Charge Introb Charge	TECHNICAL DATA		,
Fuel Tank Capacity (L) 65 65 Maximum Engine Power (kW) 153 153 Maximum Engine Power (kW) 153 153 Maximum Engine Torque (Nm) 360 360 360 Drive Type FWD AWD Steering System Electric Power Steering Electric Power Steering Steering Electric Power Steering	Engine Capacity (cc)	1986	1986
Maximum Engine Power (kW) 153 153 Maximum Engine Torque (Nm) 360 360 Drive Type FWD AWD Steering System Electric Power Sceering Electric Power Sceering Transmission Type 9 Speed 9 Speed Seating Capacity 7 7 Full Grade 35 Ron 95 Ron SUSPENSION & BRAKES Front Suspension MacPherson MacPherson MacPherson Multi Link Multi Link Multi Link Multi Link Electronically Controlled Adjustable Suspension (CDC) - •	Induction	Turbo Charged	Turbo Charge
Maximum Engine Torque (Nm) 360 360 Drive Type FWD AWD Seering System Electric Power Electric Power Steering System Electric Power Steering Steering Electric Power Seating Capacity 7 7 7 Fuel Grade 95 Ron 95 Ron 95 Ron SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Struts MacPherson Struts Struts Rear Suspension Multi Link	Fuel Tank Capacity (L)	65	65
Drive Type FWD AWD Steering System Ellectric Power Steering Steering Ellectric Power Steering Steering Ellectric Power Steering Steering Ellectric Power Steering Steering Ellectric Power Steering Steering 9 Speed	Maximum Engine Power (kW)	153	153
Scering System Electric Power Steering Steering 9 Speed 9 Spe	Maximum Engine Torque (Nm)	360	360
Steering Steering Steering Transmission Type 9 Speed 9 Speed Seating Capacity 7 7 Fuel Grade 95 Ron 95 Ron SUSPENSION & BRAKES Tenne Suspension MacPherson Surus MacPherson Surus MacPherson Surus Multi Link Electronically Controlled Adjustable Suspension (CDC) - - - - Front & Rear Brakes Discs Discs Discs Discs WHEELS & TYRES Discs	Drive Type	FWD	AWD
Seating Capacity 7 7 Fuel Grade 95 Ron 95 Ron SUSPENSION & BRAKES Front Suspension MacPherson Scruts Rear Suspension Multi Link Multi Link Electronically Controlled Adjustable Suspension (CDC) -	Steering System		Electric Power
Fuel Grade 95 Ron 95 Ron SUSPENSION & BRAKES Survius MacPherson Survius Survius	Transmission Type	9 Speed	9 Speed
SUSPENSION & BRAKES MacPherson Struts MacPherson Struts Rear Suspension Multi Link Multi Link Betectronically Controlled Adjustable Suspension (CDC) - - Front & Rear Brakes Discs Discs WHEELS & TYRES TURN - 20" Alloy Wheels - - 21" Alloy Wheels - - 5yre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre - - Space Saver Spare Tyre Size T145/80 R18 T145/80 R18 WEIGHT 1904 1994 Unladen Mass (kg) 1904 1994 Unladen Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 75 Maximum Roof Rail Load (kg) 750 75 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Combined* 8.4 <	Seating Capacity	7	7
Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Multi Link Multi Link Electronically Controlled Adjustable Suspension (CDC) - • Front & Rear Brakes Discs Discs WHEELS & TYRES 20" Alloy Wheels • - 21" Alloy Wheels • - 21" Alloy Wheels • - Tyre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre • • Space Saver Spare Tyre Size T 145/80 R18 T 145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1904 200 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 75 75 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban <	Fuel Grade	95 Ron	95 Ron
Front Suspension Struts Struts Rear Suspension Multi Link Multi Link Electronically Controlled Adjustable Suspension (CDC) - • Front & Rear Brakes Discs Discs WHEELS & TYRES 20" Alloy Wheels • • 21" Alloy Wheels • • • 21" Alloy Wheels •	SUSPENSION & BRAKES		
Electronically Controlled Adjustable Suspension (CDC) - • Front & Rear Brakes Discs Discs WHEELS & TYRES 20" Alloy Wheels • • 21" Alloy Wheels • • 5yre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre • • Space Saver Spare Tyre Size T145/80 R18 T145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1904 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Roof Rail Load (kg) 750 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Urban* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.9	Front Suspension		MacPherson Struts
Front & Rear Brakes Discs Discs WHEELS & TYRES Control of the part of the pa	Rear Suspension	Multi Link	Multi Link
WHEELS & TYRES 20" Alloy Wheels • - 21" Alloy Wheels • • Tyre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre • • Space Saver Spare Tyre Size T 145/80 R18 T 145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Electronically Controlled Adjustable Suspension (CDC)	-	•
20" Alloy Wheels - - 21" Alloy Wheels - - Tyre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre • • Space Saver Spare Tyre Size T 145/80 R18 T 145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Front & Rear Brakes	Discs	Discs
21" Alloy Wheels - ● Tyre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre ● ● Space Saver Spare Tyre Size T145/80 R18 T145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	WHEELS & TYRES		
Tyre Size 245/50 R20 255/45 R21 Space Saver Spare Tyre • • Space Saver Spare Tyre Size T145/80 R18 T145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	20" Alloy Wheels	•	-
Space Saver Spare Tyre Size 1 145/80 R18 T 145/80 R18 WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	21" Alloy Wheels	-	•
Space Saver Spare Tyre Size T 145/80 R18 T 1994	Tyre Size	245/50 R20	255/45 R21
WEIGHT Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION 191 198 CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Space Saver Spare Tyre	•	•
Tare Mass (kg) 1904 1994 Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Space Saver Spare Tyre Size	T145/80 R18	T145/80 R18
Unladen Mass (kg) 1940 2030 Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	WEIGHT		
Gross Vehicle Mass (kg) 2497 2587 Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Tare Mass (kg)	1904	1994
Maximum Towing Weight Unbraked (kg) 750 750 Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Unladen Mass (kg)	1940	2030
Maximum Towing Weight Braked (kg) 2000 2000 Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Gross Vehicle Mass (kg)	2497	2587
Maximum Roof Rail Load (kg) 75 75 FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Maximum Towing Weight Unbraked (kg)	750	750
FUEL CONSUMPTION & EMISSION CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Maximum Towing Weight Braked (kg)	2000	2000
CO2 (g/km) Combined 191 198 CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	Maximum Roof Rail Load (kg)	75	75
CO2 (g/km) Urban 242 244 CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	FUEL CONSUMPTION & EMISSION		
CO2 (g/km) Extra Urban 160 172 Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	CO2 (g/km) Combined	191	198
Fuel Consumption (L/100km) Combined* 8.4 8.8 Fuel Consumption (L/100km) Urban* 10.7 10.9	CO2 (g/km) Urban	242	244
Fuel Consumption (L/100km) Urban* 10.7 10.9	CO2 (g/km) Extra Urban	160	172
	Fuel Consumption (L/100km) Combined*	8.4	8.8
Fuel Consumption (L/100km) Extra Urban* 7.1 7.6	Fuel Consumption (L/100km) Urban*	10.7	10.9
	Fuel Consumption (L/100km) Extra Urban*	7.1	7.6

^{*} Figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real-world lead to figures which generally differ from those advertised. Advertised figures for comparative purposes.

	2WD EXCITE	AWD ESSENCE
DIMENSIONS		
Length (mm)	4983	4983
Width (mm)	1967	1967
Height (mm)	1778	1778
Wheelbase (mm)	2915	2915
Running Clearance (mm)	180	180
Boot Volume with All Seats In Place (L)	203	203
Boot Volume with Third Row Folded (L)	517	517
Boot Volume with Second and Third Row Folded (L)	1052	1052
LIGHTING		
LED Headlights with Manual Levelling	•	•
LED Daytime Running Lights	•	•
LED Taillight (Run Through)	•	•
Automatic Headlights	•	•
Automatic High Beam	-	•
High Mounted Brake Light	•	•
Intelligent Headlamp Control (IHC)	•	•
Follow Me Home Headlights	•	•
LED Front Fog Light (Static Cornering Light)	-	•
Rear Fog Light	•	•
INTERIOR		
Sunglasses Storage Box	•	•
Microfiber Leather Steering Wheel	•	•
Front Seat Map Pocket	•	•
Sun Visor with Mirror and Illumination	•	•
Glove Box with Illumination and Cooling	•	•
Rear Retractable Parcel Tray	•	•
Ambient Lighting (256 Colours)	•	•
Front and Rear Reading Light LED	•	•
Electronic Panoramic Sunroof	•	•
Electronic Gear Lever	•	•
Third Row Cup Holder and Storage Compartments	•	•
Second Row Armrest (With Cup Holders)	•	•
Front Cup Holders (With Sliding Door)	•	•
Front Centre Armrest with Storage	•	•
Ix Front, Ix Boot I2V Power Outlet	•	•
Boot Hook	•	•
Boot Illumination	•	•



Technical Specifications

	2WD EXCITE	AWD ESSENCI
SAFETY & SECURITY		
Adaptive Cruise Control (ACC)	•	•
Autonomous Emergency Braking (AEB)	•	•
Lane Change Assist (LCA)	•	•
Lane Keep Assist (LKA)	•	•
Lane Departure Warning System (LDW)	•	•
Emergency Lane Keep Assist (ELKA)	•	•
Intelligent Cruise Assist (ICA)	•	•
Driver Monitor Status (DMS)	•	•
Intelligent Speed Limit Assist (SAS)	•	•
Blind Spot Detection (BSD)	•	•
Electric Parking Brake (EPB)	•	•
Forward Collision Warning (FCW)	•	•
Rear Collision Warning (RCW)	•	•
Door Opening Warning (DOW)	•	•
Rear Cross Traffic Brake (RCTB)	•	•
Rear Cross Traffic Alert (RCTA)	•	•
Direct Tyre Pressure Monitoring System (TPMS)	•	•
ISOFIX - Second Row Rear Side Seats	•	•
Three Top Tether Anchorage Points - Second Row	•	•
Drivers Airbag + Passenger Airbag	•	•
Two Side Airbags	•	•
Two Curtain Airbags	•	•
Farside Airbag	•	•
Airbag Warning Label	•	•
ESP (ABS+EBD+CBC+TCS+VDC+HAZ+HHC+BDW+ARP+HDC)	•	•
Hill Start Assist	•	•
Autohold	•	•
Seat Belt Reminder	•	•
Front Seat Belt (3 Point with Pretensioner and Load Limiter)	•	•
Second Row Seat Belt (3 Point x3, Outer with Pretensioner and Load Limiter)	•	•
Third Row Seat Belt (3 Point)	•	•
Alarm & Engine Immobiliser	•	•
360° Camera (HD)	•	•

	2WD EXCITE	AWD ESSENCE
HEATING AND VENTILATION		
Three Zone A/C	•	•
Rear A/C Zone with Controllers	•	•
Rear A/C Vents in Second and Third Row	•	•
Auto AC Control	•	•
Rear Window Heating	•	•
INSTRUMENTS		
12.3" Virtual Driver Information Display	•	•
Cluster Brightness Adjustment	•	•
Trip Computer	•	•
Steering Wheel Recovery Reminder	•	•
Service Interval Indicator	•	•
Immersive Cluster	•	•
Navigation on Cluster	•	•
EXTERIOR		
Silver Roof Rails	•	•
Window Trim Chrome Finish	•	•
Rain Sensing Wipers	•	•
Electrically Adjustable, Electric Folding, Heated, Door Mirrors	•	•
Hidden Style Door Handle	•	•
Shark Fin Antenna	•	•
Spoiler	•	•
Boneless Front Wiper	•	•
Boneless Rear Wiper	•	•
Front Parking Sensor	-	•
Rear Parking Sensors	•	•
Door Mirror with Side indicator	•	•



Technical Specifications

	2WD EXCITE	AWD ESSENCE
SEATING		
Fabric Seat	•	-
Perforated Leather Seats	-	•
Driver and Passenger 8-way Electric Adjustable Seat	•	•
Drivers 4-way Electric Lumbar Support	-	•
Heated Front Seats (3x Levels)	-	•
Ventilated Front Seats (3x Levels)	-	•
Driver Seat Memory with Drivers Welcome Function	-	•
Adjustable Front and Rear Headrest	•	•
Manual Adjustable 21-35° Backrest Incline Third Row	•	•
Manual Adjustable 23° Backrest Incline Second Row	•	•
Manual Slide Second Row Seats	•	•
Third Row 50/50 Fold	•	•
Second Row 60/40 Split Fold Seat (Easy Entry on Right Side)	•	•
COMFORT & CONVENIENCE		
Keyless Entry	•	•
3 Driving Modes (Normal, Sport, ECO)	•	-
6 Driving Modes (Normal, Snow, Offroad, Sport, Custom, ECO)	-	•
Engine Start and Stop	•	•
Push Button Start	•	•
Side Mirror Memory	•	•
Automatic Door Lock	•	•
Auto dimming Rear View Mirror	-	•
Front Seatbelt Height Manual Adjustment	•	•
Acoustic Front Windshield	•	•
Remote Lazy Lock	•	•
Electric Tailgate	•	•
Remote Central Locking	•	•
Multi Function Steering Wheel	•	•
Front & Rear Electric Windows Passengers One Touch Up/Down	•	•
Tilt Adjustable and Telescopic Steering Wheel	•	•

	2WD EXCITE	AWD ESSENCE
IN-CAR ENTERTAINMENT	LACITE	ESSENCE
12.3" Infotainment Screen	•	•
8-Speakers Audio System	•	-
12-Speakers BOSE Audio System	-	•
5x USB Ports (2x Front, 2x Rear, 1x Third Row)	•	•
DAB Audio	•	•
FM/AM Radio	•	•
Wireless Charger	-	•
Wireless Apple CarPlay® and Android Auto™	•	•
Bluetooth Connection	•	•
Satellite Navigation	•	•
iSMART - (12 Months Complimentary Access)	•	•
INTERIOR COLOUR		
Black with Woodgrain	•	•
Beige Stone with Woodgrain	-	•
EXTERIOR COLOUR		
Black Pearl Metallic	•	•
Oxford White Metallic	•	•
Cashmere Silver Metallic	•	•
Camden Grey Metallic	•	•
Regency Green Metallic	•	•



MG QS

BOOK A TEST DRIVE TODAY.





